

## Prof. Dr. Kerstin Wydra: Verzeichnis der Veröffentlichungen

### Book chapters / reports

- Wydra, K.** 2013. Bakteriologie. In: Lehrbuch der Phytomedizin. Ulmer Verlag, 2013
- Wydra, K.** 2012: The One Health Concept in a Development Context. In: Kappas, M., Groß, U., Kelleher, D. (eds.) Global Health - A challenge for interdisciplinary research. Universitätverlag Göttingen, Germany 2012.
- Wydra, K.** 2012. The insurance function of agrobiodiversity and the importance of monitoring its conservation and use to cope with change. In: On farm conservation of neglected and underutilized species: status, trends and novel approaches to cope with climate change. Bioversity International.
- Vohland, K. and **Wydra, K.** 2011. Can agrobiodiversity enhance food security facing climate change? – The insurance function of biodiversity declined through all scales. NeFo, Netzwerkforum Biodiversität, Berlin.
- Wydra, K.** 2011. Consultation on Land Tenure and International Investments in Agriculture. Proceedings No. 66. Committee on World Food Security. High Level Panel of Experts, pp. 74-80.  
([http://typo3.fao.org/fileadmin/user\\_upload/fsn/docs/HLPE/PROCEEDINGS\\_Land\\_tenure.pdf](http://typo3.fao.org/fileadmin/user_upload/fsn/docs/HLPE/PROCEEDINGS_Land_tenure.pdf))
- Wydra, K.** 2011. Consultation on Climate Change and Food Security: setting the track for the HLPE. Proceedings No. 71. Committee on World Food Security. High Level Panel of Experts (HPLP), pp. 100. (<http://km.fao.org/fsn/discussions/climate-change0/en/>)
- Wydra, K.**, Beri, H., and Schacht, T. 2005. Polygalacturonase-inhibiting protein (PGIP) and structure and composition of cell wall polysaccharides of tomato in relation to resistance to *Ralstonia solanacearum*. Emerging Trends in Plant-Microbe Interactions. S. Gananamanickam, R. Balasubramanian, N. Anand (eds.) Centre for Advanced Studies in Botany, University of Madras, Chennai, India, pp. 217-223
- Wydra, K.** 2004. Chancen der Gentechnologie in der Landwirtschaft. Hintergrundstudie im Rahmen des Statusberichts ‚Gentechnik in der Landwirtschaft von Entwicklungsländern‘ for the German Society for Technical Cooperation (GTZ), Eschborn, Oktober 2004. 66p.
- Hillocks, R. and **Wydra, K.** 2002. Fungal, bacterial and nematode diseases, pp. 261-280. In: Hillocks, R., Thresh, M. and A. C. Bellotti (eds.): Cassava: Biology, Production & Utilisation. CABInternational, Wallingford, UK 2002
- Fessehaie, A., **Wydra, K.** and Rudolph, K. 1997. Development of a semi-selective medium and use of serology for fast and sensitive detection of *Xanthomonas campestris* pv. *manihotis*, incitant of bacterial blight of cassava, pp. 137-140. In: H.-W. Dehne, G. Adam, M. Diekmann, J. Frahm, A. Mauler-Machnik and P. van Halteren (eds.): Diagnosis and Identification of Plant Pathogens. Developments in Plant Pathology Vol. 11, Kluwer Academic Publishers, Dordrecht, Boston, London
- El-Shouny, W., El-Shanshoury, A.B.D.E., El-Sayed, M.A., **Wydra, K.**, Rudolph, K. 1997. Exopolysaccharides produced by *Pseudomonas syringae* pathovars, pp. 282-286. In: K. Rudolph, T.J. Burr, J.W. Mansfield, D. Stead, A. Vivian and J. von Kietzell (eds.): Developments in Plant Pathology. Vol. 9: *Pseudomonas Syringae* Pathovars and Related Pathogens. Kluwer Acad. Pub. Dordrecht/Boston/London

Rudolph, K.W.E., Gross, M., Ebrahim-Nesbath, F., Nöllenburg, M., Zomorodian, A., **Wydra, K.**, Neugebauer, M., Hettwer, U., El-Shouny, W., Sonnenberg, B. and Klement, Z., 1994. The role of extracellular polysaccharides as virulence factors for phytopathogenic pseudomonads and xanthomonads, pp. 357-378 *In*: C.I. Kado and J.H. Crosa (eds.), *Molecular Mechanisms of Bacterial Virulence*. Kluwer Academic Publishers, Netherlands

Théberge, R.L., **Wydra K.** and Yaninek, J.S. 1993. Common African Pests and Diseases of Cassava, Yam, Sweet Potato and Cocoyam - by Théberge, R. L., (original ed.) and revised by K. Wydra and J. S. Yaninek in *International Institute of Tropical Agriculture and University of Florida, Beta version*, available on CD-ROM and under: <http://hammock.ifas.ufl.edu/cassava/3934>

**Wydra, K.** and K. Rudolph 1992: Analysis of toxic extracellular polysaccharides. In: *Modern Methods of Plant Analysis. New Series, Vol. 13. Analysis of Plant Toxins*. H. F. Linskens and J. F. Jackson eds., Springer Verlag, Berlin, Heidelberg, New York, 113-183

Rudolph, K., Gross, M., Neugebauer, M., Hokawat, S., Zachowski, A., **Wydra, K.** and Klement, Z. 1989. Extracellular polysaccharides as determinants of leaf spot diseases caused by pseudomonads and xanthomonads, pp. 177-218. *In* (1): *Phytotoxins and Plant Pathogenesis*, NATO ASI Series, Series H: Cell Biology, A. Graniti, R.D. Durbin and A. Balio eds., Vol. 27, Springer Verlag, Berlin

#### Peer-reviewed

Dossa, S.G., Karlovsky, P., **Wydra, K.** 2014. Biochemical approach for virulence factors' identification in *Xanthomonas oryzae* pv. *oryzae*. *Plant Pathology and Microbiology* 5, 222. doi:10.4172/2157-7471.1000222

Fanou, A., **Wydra, K.** 2014. Removal of symptomatic cassava leaves as cultural practice to control cassava bacterial blight. *International Journal of Plant Pathology* (in press)

Shenge, K.C., Mabagala, R.B., Mortensen, C.N., **Wydra, K.** 2014. Resistance of *Xanthomonas campestris* pv. *vesicatoria* isolates from Tanzania to copper and implications for bacterial spot management. *African Journal of Microbiology Research* 8, 2881-2885

Kurabachew, H. and **Wydra, K.** 2014. Induction of systemic resistance and defense-related enzymes after elicitation of resistance by rhizobacteria and silicon application against *Ralstonia solanacearum* in tomato (*Solanum lycopersicum*). *Crop Protection* 57, 1-7

Kurabachew, H., Stahl, F and **Wydra, K.** 2013. Global gene expression of rhizobacteria-silicon mediated induced systemic resistance in tomato (*Solanum lycopersicum*) against *Ralstonia solanacearum*. *Physiological and Molecular Plant Pathology* 84, 44-52

Kurabachew, H and **Wydra, K.** 2013. Characterization of plant growth promoting rhizobacteria and their potential as bio-protectant against tomato bacterial wilt caused by *Ralstonia solanacearum*. *Biological Control* 67, 75-83.

Kiirika, L., Stahl, F. and Wydra, K. 2013. Phenotypic and molecular characterization of resistance induction by single and combined application of chitosan and silicon in tomato against *Ralstonia solanacearum*. *Physiological and Molecular Plant Pathology* 81, 1-12

Nabhan, S., De Boer, S., Maiss, E., **Wydra, K.**, 2013. *Pectobacterium aroidearum* sp. nov., a soft rot pathogen with preference for monocotyledonous plants. *Int J Syst Evol Microbiol* 63, 2520-2525

- Nabhan, S., **Wydra, K.**, Linde, M., Debener, T. 2012. The use of two complementary DNA assays, AFLP and MLSA, for epidemic and phylogenetic studies of pectolytic enterobacterial strains with focus on the heterogeneous species *Pectobacterium carotovorum*. *Plant Pathology* 61, 498-508
- Sikirou, R., **Wydra K.** 2011. Multiplication and movement of *Xanthomonas axonopodis* pv. *vignicola* and seed contamination in cowpea (*Vigna unguiculata*) genotypes. *Journal of Plant Diseases and Plant Protection* 118, 93-101
- Schacht, T., Unger, C., Pich, A., **Wydra, K.** 2011: Endo- and exopolygalacturonases of *Ralstonia solanacearum* are inhibited by polygalacturonase-inhibiting protein (PGIP) activity in tomato stem extracts. *Plant Physiology and Biochemistry* 49, 377-387
- Ghareeb, H., Bozsó, Z., Ott, P.G., **Wydra, K.** 2011. Silicon and *Ralstonia solanacearum* modulate expression stability of housekeeping genes in tomato. *Physiol. Mol. Plant Pathol.* 75, 176-179
- Ghareeb, H., Bozsó, Z., Ott, P.G., Repenning, C., Stahl, F., **Wydra, K.** 2011. Transcriptome of silicon-induced resistance against *Ralstonia solanacearum* in the silicon non accumulator tomato implicates priming effect. *Physiol. Mol. Plant Pathol.* 75, 83-89
- Ayana, G., Fininsa, C. Seid Ahmed, S. **Wydra, K.** 2011. Effects of soil amendment on bacterial wilt caused by *Ralstonia solanacearum* and tomato yields in Ethiopia. *Journal of Plant Protection Research* 51, 71-75
- Banito, A., Kpémoua, K.E., Bissang, B., **Wydra, K.** 2010: Assessment of cassava root and stem rots in ecozones of Togo and evaluation of the pathogen virulence. *Botanica, Pak. J. Bot.* 42, 2059-2068
- Dahal, D., Pich, A., Braun, H.-P., **Wydra, K.** 2010. Analysis of cell wall proteins regulated in stems of susceptible and resistant tomato genotypes after inoculation with *Ralstonia solanacearum*: a proteomics approach. *Plant Molecular Biology* 73, 643-658
- Agbicodo, A.C.M.E., Fatokun, C.A., Bandyopadhyay, R., **Wydra, K.**, Diop, N.N., Muchero, W., Ehlers, J.D., Roberts, P.A., Close, T.J., Visser, R.G.F., Linden, C.G. van der 2010. Identification of markers associated with bacterial blight resistance loci in cowpea (*Vigna unguiculata* (L.) Walp.) *Euphytica* 175, 215 - 226.
- Banito, A, Kpémoua, K.E. and **Wydra, K.** 2010. Screening of cassava genotypes for resistance to bacterial blight using strain x genotype interactions. *Journal of Plant Pathology and Plant Protection* 92, 181-186
- Dahal, D., Heintz., D., Van Dorsselaer, A., Braun H.-P., **Wydra, K.** 2009. Pathogenesis and stress related, as well as metabolic proteins are regulated in tomato stems infected with *Ralstonia solanacearum*. *Plant Physiology and Biochemistry* 47: 838–846
- Ayana, G., Fininsa, C., Ahmed, S. and **Wydra, K.** 2009. Aggressiveness of *Ralstonia solanacearum* strains and evaluation of tomato genotypes for resistance. *Pest Management Journal of Ethiopia* 13: 12-21.
- Sikirou, R., Beed, F., Ezin, V., Gbèhounou, G., Miller, S., **Wydra, K.** 2009. First report of *Ralstonia solanacearum* causing tomato wilt in Benin. *Plant Disease* 93: 549
- Afouda L., Wolf G., and **Wydra K.** 2009. Development of a sensitive serological method for specific detection of latent infection of *Macrophomina phaseolina* in cowpea. *Journal of Phytopathology* 157: 15-23

- Shenge, K.C., Stephan, D., Mabagala, R.B., Mortensen, C.N., **Wydra, K.** 2008. Molecular characterization of *Pseudomonas syringae* pv. *tomato* isolates from Tanzania. *Phytoparasitica* 36: 338-351
- Zdrovenko, E.L., Vinogradov, E., **Wydra, K.**, Lindner, B., Knirel, Y.A. 2008. Structure of the oligosaccharide chain of the SR-type lipopolysaccharide of *Ralstonia solanacearum* Toudk2. *Biomacromolecules* 9: 2215–2220
- Banito, A, Kpémoua, K.E. and **Wydra, K.** 2008. Expression of resistance and tolerance of cassava genotypes to bacterial blight determined by genotype x environment interactions. *Journal of Plant Diseases and Plant Protection* 115: 152-161
- Sikirou, R., **Wydra, K.** 2008. Effect of intercropping cowpea with maize or cassava on cowpea bacterial blight and yield. *Journal Plant Diseases & Plant Protection* 115: 145-151
- Shenge, K.C., **Wydra, K.**, Mabagala, R.B., Mortensen, C.N. 2008. Assessment of strains of *Pseudomonas syringae* pv. *tomato* from Tanzania for resistance to copper and streptomycin. *Archives of Phytopathology and Plant Pathology* 41: 572-585
- Diogo, R. and **Wydra, K.** 2007. Silicon-induced basal resistance in tomato against *Ralstonia solanacearum* is related to modification of pectic cell wall polysaccharide structure. *Physiological and Molecular Plant Pathology* 70: 120-129
- Wydra, K.** and Beri, H. 2007. Immunohistochemical changes in methyl-ester distribution of homogalacturonan and side chain composition of rhamnogalacturonan I as possible components of basal resistance in tomato inoculated with *Ralstonia solanacearum* *Physiological and Molecular Plant Pathology* 70: 13-24
- Zandjanakou-Tachin M., Fanou, LeGall, P., **Wydra, K.** 2007. Detection, survival and transmission of *Xanthomonas axonopodis* pv. *manihotis* and *X. axonopodis* pv. *vignicola*, causal agents of cassava and cowpea bacterial blight, respectively, in / by insect vectors. *Journal of Phytopathology* 155:159-169
- Wydra, K.**, Banito, A., Kpémoua, K.E. 2007. Characterization of resistance of cassava genotypes to bacterial blight by evaluation of symptom types in different ecozones. *Euphytica* 155: 337-348
- Shenge, K.C., Mabagala R.B., Mortensen C.N., Stephan, D., **Wydra, K.** 2007. First report of bacterial speck of tomato caused by *Pseudomonas syringae* pv. *tomato* in Tanzania. *Plant Disease* 91: 462
- Wydra, K.** and Beri, H. 2006. Structural changes of homogalacturonan, rhamnogalacturonan I and arabinogalactan protein in xylem cell walls of tomato genotypes in reaction to *Ralstonia solanacearum*. *Physiological and Molecular Plant Pathology Pathology* 68: 41-50
- Zinsou, V., **Wydra K.**, Ahohuendo, B. and Schreiber, L. 2006. Leaf waxes of cassava (*Manihot esculenta* Crantz) in relation to ecozone and resistance to *Xanthomonas* blight. *Euphytica* 149: 189-198
- Wydra, K.**, Zinsou, V., Jorge, V. and Verdier, V. 2004. Identification of pathotypes of *Xanthomonas axonopodis* pv. *manihotis* in Africa and detection of quantitative trait loci and markers for resistance to bacterial blight. *Phytopathology* 94: 1084-1093
- Dannon, E. and **Wydra, K.** 2004. Interaction between silicon amendment, bacterial wilt development and phenotype of *Ralstonia solanacearum* in tomato genotypes. *Physiological and Molecular Plant Pathology* 64: 233-243

- Zinsou, V., **Wydra, K.**, Ahohuendo, B., Hau, B. 2004. Genotype x environment interactions in symptom development and yield of cassava genotypes with artificial and natural cassava bacterial blight infections. *European Journal of Plant Pathology* 111: 217-233
- Wydra, K.**, Khatri-Chhetri, G., Mavridis, A., Sikirou, R. and Rudolph, K. 2004. A diagnostic medium for the semi-selective isolation and enumeration of *Xanthomonas axonopodis* pv. *vignicola*. *European Journal of Plant Pathology* 110: 991-1001
- Zinsou, V., **Wydra, K.**, Ahohuendo, B., and Hau, B. 2004. Effect of soil amendments, intercropping and planting time in combination on the severity of cassava bacterial blight and yield in two ecozones of West Africa. *Plant Pathology* 53, 585-595
- Sikirou, R. and **Wydra, K.** 2004. Persistence of *Xanthomonas axonopodis* pv. *vignicola* in weeds and crop debris and identification of *Sphenostylis stenocarpa* as a potential new host. *European Journal of Plant Pathology* 110: 939-947
- Senchenkova, S. N., Shashkov, A.S., Knirel, Y. A., **Wydra, K.**, Witt, F., Mavridis, A. and Rudolph, K. 2004. Structure of the O-polysaccharide of *Xanthomonas cassavae* GSPB 2437. *Carbohydrate Research* 339:157-160
- Khatri-Chhetri, G., **Wydra, K.** and Rudolph, K. 2003. Metabolic diversity of *Xanthomonas axonopodis* pv. *vignicola*, causal agent of cowpea bacterial blight and pustule. *European Journal of Plant Pathology* 109: 851-860
- Sikirou, R., **Wydra, K.** 2003. Selection of local and improved cowpea genotypes resistant to bacterial blight caused by *Xanthomonas axonopodis* pv. *vignicola*. *Annales des Sciences Agronomiques du Bénin* 6: 49-60
- Wydra, K.** and Verdier, V. 2002. Occurrence of cassava diseases in relation to environmental, agronomic and plant characteristics. *Agriculture, Ecosystems and Environment* 93: 211-226
- Fessehaie, A., **Wydra, K.** and Rudolph, K. 1999. Development of a new semiselective medium for isolating *Xanthomonas campestris* pv. *manihotis* from plant material and soil. *Phytopathology* 89: 591-597
- Verdier V., Assigbétsé K., Khatri-Chhetri G., **Wydra K.**, Rudolph K. and Geiger J.P. 1998. Molecular characterization of the incitant of cowpea bacterial blight and pustule *Xanthomonas campestris* pv. *vignicola*. *European Journal of Plant Pathology*, 104: 595-602

#### **Accepted and under revision**

- Nabhan, S., De Boer, S., Maiss, E., **Wydra, K.** Taxonomic relatedness among *P. carotovorum* subsp. *carotovorum*, *P. carotovorum* subsp. *odoriferum* and *P. carotovorum* subsp. *brasiliense* subsp. nov. (acc. with major revision)
- Ayana, G., Fininsa, C., Ahmed, S. and **Wydra, K.** Occurrence and distribution of tomato bacterial wilt (*Ralstonia solanacearum*) in major tomato growing areas of Ethiopia. *Ethiopian Journal of Agricultural Science*

#### **Monographs**

- Wydra, K.** 2004. Development of integrated control of bacterial diseases of cassava, cowpea and tomato. Habilitation thesis. Faculty of Horticulture, University of Hannover. 478 pages
- Wydra, K.** 1992. Analysis of toxic extracellular polysaccharides. MSc thesis. Institute of Plant Pathology and Plant Protection, Faculty of Agricultural Sciences, University of Göttingen

**Wydra, K.** 1991. Interaktionen zwischen Zellwandpolymeren von Bohnenpflanzen und Zellen von *Pseudomonas syringae* pv. *phaseolicola* sowie deren extrazellulären, polymeren Produkten. PhD thesis. Institute of Plant Pathology and Plant Protection, Faculty of Agricultural Sciences, University of Göttingen

**Wydra, K.** 1985. Untersuchungen zur P-Effizienz tropischer Futterleguminosen. Diploma thesis. Institute of Agricultural Chemistry, Fac. Agriculture, University of Göttingen.

**Non-refereed (selection)**

Risal, J., Meyhoefer, R., Wydra, K., Poehling, M. 2008. Induction of resistance to the whitefly *Trialeurodes vaporariorum*, in tomato by external application of Jasmonic Acid (JA) and Benzothiadiazole (BTH). Tropentag 2008, University of Hohenheim. <http://www.tropentag.de/2008/abstracts/full/342.pdf>.

Kurabachew, H., **Wydra, K.** 2008. Biochemical characterization of bacterial antagonists and immunohistochemical changes after resistance induction in tomato against bacterial wilt caused by *Ralstonia solanacearum*. IOBC Workshop on Biological control of Bacterial and Fungal Pathogens. Interlaken, Switzerland, 2008.

**Wydra, K.** 2006. Influences of the agro-ecosystem on occurrence, disease development and control of cassava bacterial blight. (invited oral plenary presentation). Plant Pathogenic Bacteria, eds. Elphinstone, J., Weller, S., Thwaites, R., Parkinson, N., Stead, D., SASA, UK, 2006, pp. 103-104

**Wydra, K.** and Dannon, E. 2006. Silicon as inducer of resistance in tomato against *Ralstonia solanacearum*. Induced resistance in plants against insects and diseases. IOBC/wprs Bull. 29(8). 91-96

**Wydra, K.**, Diogo, R., Dannon E., Semrau, J. 2005. Soil Amendment with silicon and bacterial antagonists induce resistance against bacterial wilt caused by *Ralstonia solanacearum* in tomato. Tropentag 2005. <http://www.tropentag.de/abstracts/full/632.pdf>

**Wydra, K.**, Semrau, J., Dannon, E., Diogo, R. 2006. Characterization of the interaction of antagonistic bacteria and of silicon (SiO<sub>2</sub>) with tomato infected with *Ralstonia solanacearum*. Proc. 1st. Int. Symp. on Biological Control of Bacterial Plant Diseases, Darmstadt, October 2005. Mitteilungen aus der Biologischen Bundesanstalt 408, 112-118

***Proc. International Conference on Plant Pathogenic Bacteria, Edinburgh, UK, July 2006***

**Wydra, K.** 2006. Influences of the agro-ecosystem on occurrence, disease development and control of cassava bacterial blight. (invited presentation)

**Wydra, K.**, Beri, H., Schacht, T. Molecular resistance mechanisms of tomato against *Ralstonia solanacearum*.

**Wydra, K.**, Diogo, R., Semrau, J. Cell wall effect in tomato through application of antagonistic microorganisms and silicon for control of *Ralstonia solanacearum*.

**Wydra, K.**, Zinsou, V., Ahohuendo, B., Jorge, V., Verdier, V., Schreiber, L.. Characterization of cassava resistance to cassava bacterial blight by QTL analysis and leaf wax composition.

***Proc. International Bacterial Wilt Symposium, York, UK, July 2006***

**Wydra, K.**, Beri, H. Structural changes of cell walls involved in resistance of tomato against *Ralstonia solanacearum*.

- Schacht, T., **Wydra, K.** Polygalacturonase-inhibiting protein (PGIP) activity in tomato against polygalacturonase of *Ralstonia solanacearum*.
- Wydra, K.**, Diogo, R., Semrau, J. Characterization of resistance in tomato against bacterial wilt induced by silicon amendment and microbial antagonists.
- Wydra, K.**, Agbicodo, E., Ahohuendo, B., Banito, A., Cooper, R.M.C., Dixon, A., Jorge, V., Kemp, B., Kpémoua, K., Rudolph, K., Verdier, V., Witt, F., Zandjanakou, M. and Zinsou, V. 2003. Integrated control of cassava bacterial blight by (1) combined cultural control measures and (2) host plant resistance adapted to agro-ecological conditions, and (3) improved pathogen detection. In: Akoroda, M. (ed.) Proc. 8th Trienn.Symp.Int.Soc. Trop. Root Crops - Africa Branch, ISTRC-AB, November 2001, Ibadan, Nigeria. Pp. 506-515
- Wydra, K.**, Khatri-Chhetri, G. and Rudolph, K. Pathological and physiological characterization of the incitant of cowpea bacterial blight and bacterial pustule, *Xanthomonas campestris* pv. *vignicola*, from different geographic origin. In: Lalithakumari, D. and Raman, N. (eds.): Recent Developments in Plant Pathology, Centre for Advanced Study in Botany, University of Madras, India
- Proc. of the 9th Aschersleben Symposium „New Aspects of Resistance Research on cultivated Plants”, November 17-18, 2001, Beiträge für Züchtungsforschung, BAZ 8 (3):*
- Wydra, K.** 2002. The concept of resistance, tolerance and latency in bacterial diseases: examples from cassava and cowpea. 36-43
- Zinsou, V., **Wydra, K.**, Ahohuendo, B., Jorge, V., Verdier, V. 2002. Evaluation of cassava genotypes, including individuals of their genome mapping population, for resistance against bacterial blight. 31-35
- Banito, A., Kpémoua, K., **Wydra, K.** 2002. Ecozonal variation in reaction of cassava genotypes from Togo to bacterial blight. 67-70
- Plant Pathogenic Bacteria. S. DeBoer (ed.) Kluwer Academic Publishers, Dordrecht. 2001:*
- Wydra, K.**, Fanou, A., Sikirou, R., Zandjanakou, M., Zinsou, V. and Rudolph, K. 2001. Integrated control of bacterial diseases of cassava and cowpea in West Africa. 280-287
- Sikirou, R., **Wydra, K.** and Rudolph, K. 2001. Selection of cowpea genotypes resistant to bacterial blight caused by *Xanthomonas campestris* pv. *vignicola*. 309-314
- Banito, A., Kpémoua, K., **Wydra, K.** and Rudolph, K. 2001. Bacterial blight of cassava in Togo: its importance, the virulence of the pathogen and the resistance of varieties. 259-264
- Zinsou, V., **Wydra, K.**, Agbicodo, E., Ahohuendo, B., and Rudolph, K. 2001. Studies on the resistance of cassava genotypes to bacterial blight. 301-305
- Zandjanakou, M., **Wydra, K.**, Fanou, A., Le Gall, P., and Rudolph, K. 2001. The role of the variegated grasshopper *Zonocerus variegatus* as vector of cassava bacterial blight in West Africa. 353-358

**7th Trienn. Symp. Intern. Soc. Trop. Root Crops Africa Branch (ISTRAC-AB). M.O. Akoroda and J.M. Ngeve (eds.) Cotonou, Benin, (1998) 2001:**

**Wydra, K.**, Fanou, A. and Dixon, A.G.O. 2001. Effect of cassava bacterial blight on cassava growth parameters and root yield in different ecozones and influence of the environment on symptom development. 562-569

Fanou, A., **Wydra, K.**, Zandjanakou, M., LeGall, P. and Rudolph, K. 2001. Studies on the survival mode of *Xanthomonas campestris* pv. *manihotis* and the dissemination of cassava bacterial blight through weeds, plant debris and an insect vector. 569-575

Afouda, L., **Wydra, K.**, Schulz, D. and Wolf, G. 2001. Studies on the biological control of charcoal rot of cowpea (*Vigna unguiculata*), caused by *Macrophomina phaseolina*, with bacterial antagonists. Tri-trophic Interactions in the Rhizosphere, IOBC/wprs Bulletin Vol. 24 (1) 2001: 1-4

**Wydra, K.** and K. Rudolph 1999. Development and implementation of integrated control methods for major diseases of cassava and cowpea in West-Africa. Göttinger Beitr. z. Land- u. Forstwirtschaft i.d. Tropen/Subtropen, Verl. E. Goltze, Göttingen, 133: 174-180

**Plant Pathogenic Bacteria. Mahadevan, A. (ed.) Centre Adv. Study Botany, Univ. Madras, India, 1998:**

**Wydra, K.**, Zinsou, V. and Fanou, A. 1998. The expression of resistance against *Xanthomonas campestris* pv. *manihotis*, incitant of cassava bacterial blight, in a resistant cassava variety compared to a susceptible variety. 583-592

**Wydra, K.**, Fessehaie, A., Fanou, A., Sikirou, R., Janse, J. and Rudolph, K. 1998. Variability of strains of *Xanthomonas campestris* pv. *manihotis*, incitant of cassava bacterial blight, from different geographic origins in pathological, physiological, biochemical and serological characteristics. 317-323

Assigbétsé, K., Verdier, V., **Wydra, K.**, Rudolph, K. and Geiger, J.P. 1998. Genetic variation of the cassava bacterial blight pathogen, *Xanthomonas campestris* pv. *manihotis*, originating from different ecoregions in Africa. 223-229

Fessehaie, A., **Wydra, K.** and Rudolph, K. 1998. Cefazolin-Trehalose agar medium, a semi-selective medium for *Xanthomonas campestris* pv. *manihotis* (Xcm), the incitant of cassava bacterial blight. 100-106

Khatri-Chhetri, G., **Wydra, K.** and Rudolph, K. 1998. Development of a semi-selective medium for quick and easy detection of *Xanthomonas campestris* pv. *vignicola*, incitant of cowpea bacterial blight. 127-134

Khatri-Chhetri, G., **Wydra, K.** and Rudolph, K. 1998. Variability of strains of *Xanthomonas campestris* pv. *vignicola*, incitant of cowpea bacterial blight and bacterial pustule, collected in several African and other countries. 296-302

**Plant Pathogenic Bacteria. M. Lemattre, S. Freigoun, K. Rudolph and J.G. Swings, (eds.), INRA, Paris, 1994:**

El-Shouny, W., **Wydra, K.**, El-Shanshoury, M.A., El-Sayed, A. and Rudolph, K. 1994. Exopolysaccharides of phytopathogenic pseudomonads. 659 - 664

**Wydra, K.** and Rudolph, K. 1994. A model for mechanisms of resistance and susceptibility on a molecular level in plant-microbe-interactions. 653 - 658



- Wydra, K.** and Msikita, W. 1998. Overview of the present situation of cassava diseases in West Africa. In: Akoroda, M. O. & Ekanayake, I. J. (eds.). Root Crops for Poverty Alleviation. Proc. 6th Trienn. Symp. Intern. Soc. Trop. Root Crops Africa Branch (ISTRC-AB), Malawi, 22-28 October 1995. ISTRC, IITA & Government of Malawi. Pp. 198-206
- Wydra, K.** and Rudolph, K. 1990. Interactions between cell wall polymers of *Phaseolus vulgaris* and bacterial cell surface polymers of *Pseudomonas syringae* pv. *phaseolicola*. Z. Klement, ed.: Plant Pathogenic Bacteria, Akademiai Kiado, Budapest, Hungary 1989, 63-68
- Wydra, K.** and Rudolph, K. 1989. An agglutination factor from bush bean leaves against *Pseudomonas syringae* pv. *phaseolicola*. G. Gallin (ed.): Proceedings of the Braunschweig Symposium on Applied Plant Molecular Biology, Braunschweig. Nov. 21-23, 1988, Zentralstelle f. Weiterbildung. TU Braunschweig: 334-340

**Short articles: > 140 abstracts from presentations in national and international conferences.**